

AUTOMATICALLY SENDING A URL BY E-MAIL OR TELEPHONEBACKGROUND OF THE INVENTIONField of the Invention

The present invention relates to telephone systems and, more specifically, to telephone systems and methods for providing business information to consumers.

Description of the Related Art

The Internet has become a powerful tool that is used by many people on a daily basis. The Internet, through the World Wide Web, provides people with information on a wide range of subjects including, for example, consumer information, order shipment tracking, business opportunities, and health issues. Most large corporations and many small businesses now have their own Websites for selling their products and for providing product information to customers. These Websites are contacted over the World Wide Web by using a Web browser on the customer's computer. The browser connects with the Website by using the Uniform Resource Locator (URL), the global address of documents and other resources located on the World Wide Web. The URL may be typed into the browser manually each time the user wishes to contact the Website or the URL may be stored in the browser's bookmark section. If the URL is stored in the browser's bookmark section, a simple click of the mouse on the bookmark will instruct the browser to connect with the Website of the selected URL.

Often, a customer speaking to a business representative on the telephone will ask for that business's URL so that the customer can later check the Website for information concerning, for example, the status of the customer's order, warranty information, or product specifications. The business representative may then accurately recite the URL over the telephone, the customer must accurately write the URL down, and the customer must accurately enter the URL into the browser of the customer's computer in order to successfully gain access to the desired information. The URL can often be quite long and quite complex, made up of symbols, numbers and letters.

Therefore, there is a need for a method to record a URL into the browser without missing any of the symbols, letters or punctuation that must appear in an exact manner for the browser to connect with the desired Website. It would be an advantage if the method could be implemented during a telephone call placed by a customer to a merchant or other type of owner of the desired website. It would be very advantageous if the URL transfer could be totally automatic without requiring the URL to be typed into the browser.

SUMMARY OF THE INVENTION

The present invention provides a method for a telephone system to send an electronic message containing a Uniform Resource Locator (URL) to a customer's address. The method includes receiving a telephone call having a customer identification record including a destination address, selecting one or more URL's to be sent to the destination address, generating and sending an electronic message containing the one or more selected URL's, to the destination address. Preferably, the URL is selected to be responsive to an inquiry made during the telephone call. The electronic message may contain additional items other than the selected URL's, including, for example, electronic coupons, an on-line trial subscription, user ID's, user passwords, advertisements, sender information, or combinations thereof, wherein the user ID's and user passwords are required by the Websites having the addresses of the URL's. The method may further include recording the one or more URL's into the bookmark section of the communications terminal's browser.

Both the customer's telephone system and the sender's telephone system may be independently selected from a digital telephone, a centrex, a PBX, a telephone service provider or combinations thereof. The communications terminal, to which the electronic message is sent, may be selected from a mobile telephone, a personal computer, a handheld computer, a personal digital assistant or combinations thereof, or it may be any device capable of receiving e-mail. The destination address for the electronic message may be an Internet address, a computer network address, a specific e-mail address or a telephone number.

The destination address is recorded into the customer's telephone system by selecting a menu function on the customer's telephone system suitable for recording the destination address. The address is then stored in association with the customer's telephone as part of the customer's caller ID service. The step of obtaining the destination address is selected from capturing or reading the destination address from the caller ID received during a telephone session with the customer, querying the customer to transmit the destination address to the sender's telephone system, or combinations thereof. It is necessary to query the customer for the destination address if merchant initiates the call (the customer is not the caller and thus no caller ID is received) or if the customer initiates the call but the caller ID does not include a destination address.

In one embodiment the step of selecting the one or more URL's further comprises requesting the sender's telephone system to provide a menu of the one or more URL's. The menu may then provide a code for each of the one or more URL's and then allowing the customer to choose the one or more URL's to capture, wherein choosing is accomplished by entering the code, for example using a keypad on the customer's telephone or using voice recognition, for each of the one or more URL's selected.

The present invention may optionally provide for registering the destination address with a database maintained by a third party service provider that serves as an interface between the customer and various merchants. In this embodiment, the customer provides the merchant with identification of the service provider. The merchant then provides the relevant information to the service provider for forwarding to the attention of the customer.

It is an important aspect of the present invention, for the URL information to be transmitted from the merchant to the customer regardless of whether it was the customer or the merchant who initiated the telephone call. The customer's identification information and the merchant's URL information may each be provided either verbally, by electronic transmission on command, or through a third party service provider. In the instance where the customer initiates the call, it is preferred that customer's identification or contact information be provided along with its caller ID signal. However, it is possible for the customer to provide

the merchant with the customer's identification information or that of the customer's third party service provider. Conversely, in the instance where the merchant initiates the call, the merchant will not typically receive any type of automatic customer identification information. Therefore, if the customer decides to provide the merchant with such identification information, presumably to allow the merchant to send its URL information to the customer, the customer must do so verbally or by commanding its telephone to transmit identification information stored in the telephone.

The foregoing and other objects, features and advantages of the invention will be apparent from the following more particular description of a preferred embodiment of the inventions, as illustrated in the accompanying drawings wherein like reference numbers represent like parts of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a schematic diagram showing the system of the present invention.

FIG. 2 is a flow chart of a method for receiving a URL during a telephone call.

DETAILED DESCRIPTION OF THE INVENTION

The present invention provides a method for automatically sending a Uniform Resource Locator (URL) during a telephone call, whereby the URL is transmitted electronically to a customer at a destination address provided by the customer. While it is preferred that the customer's telephone system automatically transmit the destination address to a merchant, the present invention includes any dynamic transmission of the customer's destination address to the merchant.

The present invention provides a method for sending a URL to a customer's communications terminal from a merchant's telephone system. When a customer places a telephone call to another entity, such as, for example, a merchant or business enterprise, the customer may

want to receive the URL for the business's home page or customer service Website. Instead of writing the URL down or attempting to memorize it until the customer has time to record the URL in the customer's browser, and then recording the URL in the browser's bookmark section by manually entering the URL by using keystrokes, the present invention provides a method for sending the URL to the customer's communications terminal. The method includes recording in the user's telephone system a destination address for a communication terminal to receive the URL, selecting one or more URL's preferably from a menu that may be played over the telephone, and then sending an electronic message from the merchant's telephone system to the communications terminal for recording the URL for later use.

The communications terminal could be any device that can store and retrieve e-mail and is connectable to a telephone network, a device that can store and retrieve e-mail and is connectable to a computer network, or combinations thereof. Examples may be a mobile telephone, a personal computer, a handheld computer, a personal digital assistant, or combinations thereof. The destination address for the communications terminal could be, for example, a telephone number, an Internet address, or a computer network address.

It is an important aspect of the present invention, for the URL information to be transmitted from the merchant to the customer regardless of whether it was the customer or the merchant who initiated the telephone call. Preferably, the customer records the destination address for the communications terminal in the caller ID service of the customer's telephone system so that the merchant's (or other URL-provider's) telephone system may read the address. Alternatively, the customer may register the customer's destination address with the customer's telephone service provider so that the telephone service provider may attach the destination address to the customer's caller ID. Optionally, the customer may record the customer's destination address in the customer's telephone system, but not as part of the customer's caller ID. Then, when the merchant requests that the customer provide a destination address, the customer may choose to transmit the destination address stored in the customer's telephone system to the merchant. Alternatively, the customer may register the customer's destination address with the merchant for storage in a database of the merchant. Then, when the customer places a telephone call to the merchant, the merchant may retrieve

the destination address from the database based upon the name contained in the customer's caller ID, or based up the name given by the customer during the telephone conversation, or other suitable means and then dispatch a message containing the desired URL's to the destination address.

5

After the merchant's telephone system has received the customer's destination address, either by reading the customer's caller ID or by any other option discussed above, the merchant's telephone system generates and sends a message addressed to the customer's destination address and provides a URL with the message. Alternatively, the telephone system may provide a server, or other computer or suitable device, with the destination address and allow

10

the server to generate and send the message containing the URL, such as an e-mail message sent to the customer's e-mail address. Optionally, the merchant could provide a group of URL's for sending in a single message. As another option, the merchant's telephone system could play a menu of available URL's and allow the customer to use the customer's keypad to select the URLs from a menu or URLs that the customer wants to receive. For example, the

15

menu could provide: by pressing 1, a URL to the merchant's home page; by pressing 2, a URL to the merchant's order tracking page; by pressing 3, a URL to a product ordering page; and so forth. The selection process may also allow the customer to select more than one URL by, for example, pressing 9 to indicate a desire to select an additional URL or pressing 0 to indicate that the customer does not desire to select additional URL's. Optionally, additional

20

items may be attached to the message including, for example, electronic coupons, a user ID and password that might be required for accessing areas within a Website for the URL, advertisements, trial subscriptions, merchant information and the like. In one embodiment, the customer may request a URL, possibly by selecting from a menu, while the customer's call is on hold.

25

The form of the destination address to which the message is to be sent will notify the merchant's telephone system whether to send the message over the Internet or over the telephone network. For example, if the destination address is a telephone number, the merchant's telephone system will know to send the message over the telephone network to the customer's digital telephone capable of receiving such messages. If the address is an Internet

30

address, the merchant's telephone system will know to send the message over the Internet, such as an e-mail message.

It will be appreciated from the description above that the present invention may be implemented in software that is stored as executable instructions on a computer readable medium on the customer's telephone system, the merchant's telephone system, the merchant's server and the customer's computer or other communications terminal. These instructions would include, for example, an operating system program, application programs, and a browser program. The merchant's telephone system is thus suitable for: (1) reading the destination address from the customer's caller ID, (2) presenting a menu of URL's for selection of URL's to be sent in a message, and (3) instructing a server, or other suitable device, to generate a message, addressed to the destination address of the customer, containing the selected URL's.

FIG. 1 is a schematic diagram showing a system 10 of the present invention. A customer places a telephone call from the customer's telephone 11 through the customer's telephone system 13 through the public utility telephone system 17a through the merchant's (or other sender's) telephone system 14 and to the merchant's telephone 15. The customer's telephone system 13 and the merchant's telephone system 14 may each be either a digital telephone, a centrex system, a PBX system, a telephone service provider or combinations thereof. A telephone service provider is a public or private utility providing telephone service to its customers, usually including a selection of optional services such as call waiting, messaging service, caller ID, and the like. A PBX system, an acronym for private branch exchange, is a private telephone system network used within an enterprise whereby users of the PBX share a certain number of outside lines for making calls external to the PBX. A centrex system, an acronym for central office exchange, is a type of PBX in which switching occurs at a local telephone station instead of at the enterprise's premises.

When the customer telephones the merchant, the customer's telephone system attaches the customer's caller ID record 12 to the outgoing call. The caller ID record 12 provides information to the merchant's telephone system including, for example, the telephone

number, date and time of the telephone call, and the name and destination address of the customer. Typically, this customer information is displayed to the other party when the other party has a device, not shown, capable of displaying this information. The caller ID record 12 is programmed into the customer's telephone system so that whenever the customer places a telephone call, the record is attached to the outgoing telephone call. Optionally, the customer may block attaching the caller ID record 12 to the outgoing telephone call by keying in a predetermined code before the customer places the telephone call. Likewise, the customer may optionally choose only to block the destination address portion of the caller ID record attached to the outgoing telephone call, thereby allowing the caller ID record to still provide the number and name of the customer but not the destination address. Additionally, the system could be set up to prevent attachment of any caller ID information, or just some limited information of choice, unless the customer keys in a predetermined code prior to placing the call.

After the telephone call is established, the merchant's telephone system 14 reads the destination address from the caller ID 12 and instructs the server 16 to send an electronic message to the device at the destination address provided in the caller ID. Alternatively, the customer could select the URL's that the customer would like to receive from a menu 20 provided by the merchant. Furthermore, as another alternative, the merchant could select, from the menu 20, more than one URL to be sent to the customer. The server 16 then generates an electronic message and dispatches the message through the Internet 17, or other computer or telephone network, to the customer's device, such as computer 18. Alternatively, the server could be a personal computer, a processor that is part of the merchant's telephone system, or any device that can receive the instruction to send the message, generate the message, address and send the message over the Internet or a telephone system to the customer's communication terminal. Furthermore, the customer's communication terminal 18 could be a digital telephone, a handheld computer, a personal digital assistant or any device that can receive electronic messages from the Internet or from a telephone system.

In a preferred embodiment, the electronic message is an e-mail message sent to a computer. After the e-mail is sent to the customer's computer, the customer opens the e-mail and saves the URL to the browser **19** running on the customer's computer. Preferably, the URL is saved to the bookmark section **19a** of the browser **19**. Then, a simple click of the mouse on the
5 bookmarked URL will instruct the browser to connect to the address contained in the URL.

FIG. **2** is a flowchart of a method that may be executed on the system of FIG. **1**. In state **100**, the customer stores the customer's destination address in the customer's telephone system, preferably so that the destination address will be part of the customer's caller ID record. This
10 may be done by the person responsible for maintaining the customer's telephone system or by the customer's telephone service provider. In state **102**, a telephone connection is established, whether by the customer placing a telephone call to the merchant or by the merchant placing a telephone call to the customer. In state **104**, it is determined whether the customer wants the merchant to send a message with a URL. If the customer indicates to the merchant that the
15 customer does not want to receive a message containing a URL, then in state **106**, the telephone call terminates after the conversation is completed. If the customer does want to receive a message containing a URL, then in state **108**, it is determined whether the merchant received the customer's destination address from the customer's caller ID. This may be the case if the customer initiated the call.

If the merchant did not receive the customer's destination address from caller ID, such as when the merchant initiates the call, then, in state **110**, the merchant requests that the customer send a destination address to the merchant. In state **112**, the customer sends or provides the destination address to the merchant, preferably by a manually initiated electronic
25 transmission from the customer's telephone system. If, in state **114**, the merchant cannot verify that it has received the customer's destination address, then the process returns to step **110**. However, if, in state **114**, the merchant verifies receipt of the customer's destination address, then the merchant provides the customer with a menu of URL's, in state **116**, that may be selected by the customer by using the keypad on the customer's telephone. The
30 customer selects one or more URLs from the menu in state **118**. Finally, in state **120**, the

merchant's telephone system generates and sends a message containing the selected URL's to the customer at the destination address provided by the customer.

5 It will be understood from the foregoing description that various modifications and changes may be made in the preferred embodiment of the present invention without departing from its true spirit. It is intended that this description is for purposes of illustration only and should not be construed in a limiting sense. The scope of this invention should be limited only by the language of the following claims.

10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200